

**Pre-bid Query Reply**

**RFP No.** GJB/GEN/08/2022/01 Dated 28.07.2022

E-Tender ID: 2022\_UADEA\_26474\_1

<b><u>Sl No</u></b>	<b><u>Query</u></b>	<b><u>Reply</u></b>
<b><u>1</u></b>	Please clarify whether we have to participate in each lot separately or in a single tender. Also, will we have to submit the Processing Fee and EMD separately or not?	Bidders can participate in a single lot or both the lot in a single submission. However, bidders have to submit the technical credential, experience documents separately against each lot as mentioned in the RFP document. A single Tender processing fee & EMD shall be payable for the tender. Lot wise payment is not required.
<b><u>2</u></b>	Since Public Sector Undertakings (PSU's) are wholly or partly owned by the Government of India or state or territorial governments, please consider the experience of similar Comprehensive assignments executed for PSU's.	As mentioned in the RFP Prior Experience with Any Govt. agency shall be accepted. Thus experience with PSUs shall be accepted.
<b><u>3</u></b>	kindly amend the requirement of EPF/ESIC registration of workers of the firms. This point may kindly not be made mandatory for Eligibility Criteria and marking on the same is requested to be exempted.	No Change in the existing Criteria
<b><u>4</u></b>	The Audio Visual part may kindly be separated from lot 1 to facilitate parties purely into such production	No change in the existing provision.
<b><u>5</u></b>	Labour license do not apply to audio visual productions. For this a trade license is required. So this confusion may kindly be addressed.	PF/ESIC registration was sought as a proof of minimum no of employees. Labour License is mentioned nowhere in the RFP document.
<b><u>6</u></b>	The turnover for audio visual bidders may kindly be Rupees 5,00000.00 because 2020-2021 did not see any financial gains due to the COVID PENDEMIC situation.	No change in the existing Criteria

*Paras Kumar*  
A.S.M

Managing Director

Guwahati Metropolitan Drinking Water & Sewerage Board